

Potential Nanotechnology Applications for Reducing Freshwater Consumption at Coal-Fired Power Plants: An Early View



This book was funded by the U.S. Department of Energy (DOE) National Energy Technology Laboratory (NETL) Existing Plants Research Program, which has an energy-water research effort that focuses on water use at power plants. This study complements the overall research effort of the Existing Plants Research Program by evaluating water issues that could impact power plants. A growing challenge to the economic production of electricity from coal-fired power plants is the demand for freshwater, particularly in light of the projected trends for increasing demands and decreasing supplies of freshwater. Nanotechnology uses the unique chemical, physical, and biological properties that are associated with materials at the nanoscale to create and use materials, devices, and systems with new functions and properties. It is possible that nanotechnology may open the door to a variety of potentially interesting ways to reduce freshwater consumption at power plants. This book provides an overview of how applications of nanotechnology could potentially help reduce freshwater use at coal-fired power plants. It was developed by (1) identifying areas within a coal-fired power plant operations where freshwater use occurs and could possibly be reduced, (2) conducting a literature review to identify potential applications of nanotechnology for facilitating such reductions, and (3) collecting additional information on potential applications from researchers and companies to clarify or expand on information obtained from the literature. Opportunities, areas, and processes for reducing freshwater use in coal-fired power plants considered in this report include the use of nontraditional waters in process and cooling water systems, carbon capture alternatives, more efficient processes for removing sulfur dioxide and nitrogen oxides, coolants that have higher thermal conductivities than

water alone, energy storage options, and a variety of plant inefficiencies, which, if improved, would reduce energy use and concomitant water consumption. These inefficiencies include air heater inefficiencies, boiler corrosion, low operating temperatures, fuel inefficiencies, and older components that are subject to strain and failure. A variety of nanotechnology applications that could potentially be used to reduce the amount of freshwater consumed either directly or indirectly by these areas and activities was identified. These applications include membranes that use nanotechnology or contain nanomaterials for improved water purification and carbon capture; nano-based coatings and lubricants to insulate and reduce heat loss, inhibit corrosion, and improve fuel efficiency; nano-based catalysts and enzymes that improve fuel efficiency and improve sulfur removal efficiency; nanomaterials that can withstand high temperatures; nanofluids that have better heat transfer characteristics than water; nanosensors that can help identify strain and impact damage, detect and monitor water quality parameters, and measure mercury in flue gas; and batteries and capacitors that use nanotechnology to enable utility-scale storage. Most of these potential applications are in the research stage, and few have been deployed at coal-fired power plants. Moving from research to deployment in today's economic environment will be facilitated with federal support. Additional support for research development and deployment (RD&D) for some subset of these applications could lead to reductions in water consumption and could provide lessons learned that could be applied to future efforts. To take advantage of this situation, it is recommended that NETL pursue funding for further research, development, or deployment for one or more of the potential applications identified in this book.

[\[PDF\] The Trillion Dollar Sure Thing](#)

[\[PDF\] An Adventure with Bobby Bear \(Peek and Find \(PGW\)\)](#)

[\[PDF\] Scooby-Doo: The Ghost Guitar \(Interactive Music Book\)](#)

[\[PDF\] At Your Service: The Remarkable Life of a Former Footman in a Stately Home, RAF Pilot and Special Branch Chief Superintendent](#)

[\[PDF\] The Gardener Snake](#)

[\[PDF\] A Concise Economic History of Modern China.](#)

[\[PDF\] The World As I See It \(Paperback\) - Common](#)

Potential nanotechnology applications for reducing freshwater Potential nanotechnology applications for reducing freshwater consumption at coal fired power plants : an early view. SciTech Connect. Elcock, D. 2010-09-17. **coal power plants: Topics by** Potential nanotechnology applications for reducing freshwater consumption at coal fired power plants : an early view. Energy Technology Data Exchange **coal-fired power station: Topics by** However, they did indicate that EPA views mercury as a potential threat to human health. .. Since operations began in early 1996, a total of 51 days of testing have been .. Reducing water freshwater consumption at coal-fired power plants Potential nanotechnology applications for reducing freshwater consumption at **Modeling low-carbon US electricity futures to explore impacts on** Power plants can impact the quality and quantity of local water resources. Because of the large role of the power sector in contributing to and potentially mitigating Only operational freshwater uses are analyzed by region, but use of increases in the early years to replace coal and reduce power plant **Potential Nanotechnology Applications for Reducing Freshwater** views and opinions of authors expressed therein do not necessarily state or . 2.2.2 Collection and Formatting of Data for Existing Coal-Fired Power Plants . . 3.6 Potential Alternative Water Sources for Vulnerable Plants . . result from the application of R&D aimed at reducing freshwater consumption and withdrawal. **tangentially coal fired: Topics by** A successful outcome to ongoing RD&D could see units with efficiencies approaching .. Reducing freshwater consumption at coal-fired power plants can occur Since operations began in early 1996, a total of 51 days of testing have been Potential nanotechnology applications for reducing freshwater consumption at **Environmental Application and Risks of Nanotechnology: A** Other potential applications of nanotechnology in medicine include: for reducing freshwater consumption at coal fired power plants : an early view. **power plants coal-fired: Topics by** Nanomaterials have great potential to decrease biofilm accumulation, inhibit the .. Furthermore, these early practitioners used that control to modify for reducing freshwater consumption at coal fired power plants : an early view. **Water Vulnerabilities for Existing Coal-fired Power Plants - Argonne** Nanotechnology: A Balanced View. Jie Zhuang*,1 and reducing consumption of resources and energy, and allowing environmentally The greatest potential uses or applications of nanotechnology for the environment . one-third of the United States anthropogenic CO2 is produced from coal-fired power plants (39). **Nanoscience(Science) - OpenTrolley Bookstore Singapore** contributors that provide different views of future energy transitions. .. Energy infrastructure is long-lived a single power plant is a .. Great Britain as early as the thirteenth century, when coal local economic development, reducing fresh water consumption and pollution and reducing local air pollution **Potential Nanotechnology Applications for Reducing Freshwater** Buy Potential Nanotechnology Applications for Reducing Freshwater Consumption at Coal-Fired Power Plants: An Early View on ? **FREE Potential Nanotechnology Applications for Reducing Freshwater nanotechnology based materials: Topics by** Potential Nanotechnology Applications for Reducing Freshwater. Consumption at Coal-Fired Power Plants: An Early View. This page intentionally left blank **nanotechnology - National Geographic Society** Since operations began in early 1996, a total of 51 days of testing have been . Reducing freshwater consumption at coal-fired power plants can occur directly or . From economic point of view, the effect of condensate extraction pump Potential nanotechnology applications for reducing freshwater consumption at coal **Carbon sequestration: Steam process could remove carbon dioxide** The first use of geothermal energy for electric power production occurred in All of these early plants used steam obtained directly from the earth (i.e. dry .. with oil and coal fired power plants is therefore clearly demonstrated by a The total CO2 emission reduction potential of geothermal heat pumps **Ytj - Copper Power Green, Freshwater Copper Treatment, 16** It is concluded that an investment which depended for its viability on an early or rapid The PC and CYC fly ashes can potentially be used in the production of cement, A successful outcome to ongoing RD&D could see units with efficiencies Reducing freshwater consumption at coal-fired power plants can occur **power plant coal: Topics by** Potential nanotechnology applications for reducing freshwater consumption at coal fired power plants : an early view on ResearchGate, the professional network **Energy Vision 2013 Energy transitions: Past and Future - WEFForum** The

actual application showed that, the boiler fed with present coal can be the concept of remotely measured FRE, with a view to ascertaining its potential. .. use of carbon monoxide as the best indicator of the very early states of coal heating. Reducing freshwater consumption at coal-fired power plants can occur **The water implications of generating electricity: water use across the** Copper Power Green, Freshwater Copper Treatment, 16 oz c3a14251 ac80a56, st38fl. primary tinned copper boat wiring Copper power endich acp0128g green fresh water gallon Potential nanotechnology applications for reducing freshwater consumption at coal-fired power plants: an early view Power pro microfilament **coal fired power: Topics by** For this work, we draw on analyses of current power plant water use (see section 2.3 for generation requirements used in this analysis). .. Under the reference case (scenario 1), electricity generation from coal-fired power plants .. to replace coal generation and meet the early carbon reduction targets. **coal-fired power plant: Topics by** The research was reported online June 23, 2010 in the early view version of Because most coal-burning facilities generate steam, some of that might be it for this purpose would not have a significant cost to the plant, Jones noted. We believe there is potential for development of materials that will be **New releases in Science/Nanostructures - New & Used Books** Potential nanotechnology applications for reducing freshwater consumption at coal fired power plants : an early view. Energy Technology Data Exchange **coal-fired steam power: Topics by** Potential Nanotechnology Applications for Reducing Freshwater Consumption at Coal-fired Power Plants: An Early View Import. Loading images Back. **lakhra coal power: Topics by** This report examines the availability and use of potential non-fresh water treatment plant, a coal-fired power plant could become a supplier of both . Typically, alternative water sources have a lower quality than fresh water, and therefore MWW is already successfully used at thermal power plants in cooling towers, **Potential water sources for coal-fired power plants - United States** They also point to the dominance of SP magnetite in early-monsoon season, .. Potential Use of Malaysian Thermal Power Plants Coal Bottom Ash in Construction Keeping in view the environmental pollution caused due to the burning of Potential nanotechnology applications for reducing freshwater consumption at **Potential Nanotechnology Applications for Reducing Freshwater** In 2010, researchers at IBM used nanotechnology to create a 3-D relief map of The most familiar carbon allotropes are probably diamond and graphite, a type of coal. . scientists and engineers to see and manipulate individual atoms. . This involves reducing power consumption while decreasing the **Energies Free Full-Text Water Desalination Using Geothermal** Potential Nanotechnology Applications for Reducing Freshwater Consumption at Coal-Fired Power Plants: An Early View. by U S Dept of Energy. (Paperback **developing nanotechnology applications: Topics by** Potential Nanotechnology Applications for Reducing Freshwater Consumption at Coal-fired Power Plants: An Early View. by U.s. Department of